

XL-21 系列动力柜

Power Cabinet Series



产品说明 Product Description


XL-21型动力配电柜主要用于工矿企业。交流频率50Hz,电压500以下三相三线、三相四线电力系统,作动力照明配电用。该产品系列内装置,用钢板折弯焊接而成,单扇右手门,上部门上装有测量仪表操作和信号电器。打开门后电器全部敞露,便于检修维护。防止灰尘、雨水渗入;箱内配有安装底板,可安装电器设备,门开启大于90°转动灵活。进出线采用电缆接线操作,安全可靠。

XL-21 type power distribution cabinet is mainly used for industrial and mining enterprises. AC frequency 50Hz, three-phase three-wire voltage is below 500, three-phase four-wire power system for dynamic lighting distribution. The products within the family unit, welded steel plate bending, single fan right door, equipped with electrical instrumentation and signal operations on the sector. After opening the door all appliances Chang Lu, easy repair and maintenance. Prevent dust, rainwater infiltration; box with mounting plate can be installed electrical equipment, doors open more than 90 ° rotation flexibility. Inlet and outlet using the cable wiring, safe and reliable.

型号 Type	规格 Specification	数/件 Number / pc
	宽W×高H×深E(mm)	90074 Number 7 pc
XL-21	800x1800x400	1
	700x1700x370	1
	600x1500x350	1
	600x1200x350	1
	700x1100x350	1



网络宽带箱



产品说明 Product Description

多媒体宽带网络箱,用于智能小区布线单元,楼道内网络设备、配线设备的安装。

Multimedia broadband network box for smart cell cabling unit, corridor network equipment, Installation of wiring equipment.

规格及尺寸 Specifications and dimensions

型号 Type	箱体尺寸 Dimension	外形尺寸 Shape size
±2 type	宽W×高H×深E(mm)	宽W×高H×深E(mm)
WL(S)	500 × 400 × 130	540 × 440 × 135
WL(M)	500 × 600 × 130	540 × 640 × 135
WL(L)	600 × 800 × 130	640 × 840 × 135

产品特点 Product features

- 箱体采用优质冷轧钢板,表面喷塑处理。
- 上下留有进出线孔,箱上有百叶窗供通风散热。
- 设备间与配线间分区管理。
- 箱体可采用嵌墙安装。
- 箱内可安装不同型号、规格的网络交换机和配线架、110跳线架、 光纤熔接盘。
- Box is made of high quality cold rolled steel sheet and surface sprayed.
- There are holes in and out of the upper and lower boxes, with louvers for ventilation and heat dissipation.
- Partition management between equipment and distribution lines.
- Box can be installed with a wall.
- Different types and specifications of network switches and distribution frames, 110 jumpers and optical fiber splice plates can be installed in the boxes.



多媒体信息箱 Multimedia information box



产品说明 Product Description

家居多媒体集线箱是智能家居各弱电系统在家庭中的多媒体集成信息箱,采用暗装形式、模块化结构。多媒体信息箱可安装增强有线电视/数据/语音接线模块、8位RJ45插座接线模块 (Patch Panel)、保安监控接线模块、家庭集线器(HUB)模块等。

The home multimedia box is the multimedia integrated information box of the weak current system of the smart home in the family. Modularized structure. The multimedia information box can be installed with enhanced cable TV / data / voice connection module and 8 bit RJ45 socket wiring module. (Patch Panel), security monitoring wiring module, family hub (HUB) module and so on.

规格及尺寸 Specifications and dimensions

名称 Name	外形尺寸 Shape size
Ditto Ivaline	宽W×高H×深E(mm)
多媒体集线箱 Multi-media container	200 × 200 × 100
多媒体集线箱 Multi-media container	300 × 200 × 120
框边型多媒体集线箱 Frame edge multi-media container	300 × 400 × 120
框边型多媒体集线箱 Frame edge multi-media container	400 × 500 × 120

产品功能 Product function

- 语音:电话1进9出或2进8出,并通过拨动开关来控制每一组语音 通话功能,把线路开关拨到"合"位置,电话为1进9出,把线路 开关拨到"分"位置,电话线路为2进8出(2组1进4出),每路室 内电话线都可以通过拨动开关控制。
- 电话:1进4出,4台电视可同时收看;
- 弱电转接:8组弱电信号接线端子,用作家庭安防、三表抄送等 弱电系统设备的信号连接点,2口监视接口为1进1出。
- Voice: telephone 1 into 9 or 2 into 8 out, and through the switch to control each voice call function, the line switch to the "close" position, the telephone for 1 into 9 out, the line switch to the "sub" position, the telephone line is 2 into 8 (2 groups 1 into 4), each indoor telephone line can be controlled by dialing switch.
- Phone: 1 into 4, 4 TV can be watched at the same time;
- Weak electricity transfer: 8 sets of weak electric signal terminal, used as the signal connection point of the weak electric system equipment such as home security, three meter reading and so on. The 2 port monitoring interface is 1 into 1.



光纤入户信息箱 Fiber access information box



产品说明 Product Description

- 材料:面板有塑料面板和金属面板两种,金属底壳。底盒采用 1.0mm优质冷轧钢板,表面白色或灰色静电喷涂,磷化、除锈处 理。
- 箱体配置:光缆固定器,光纤熔接盘,1位多功能插排(AC220V, 二组三孔),ONU安装托盘,符合电信要求,真正实现光纤到户。
- 模块配置:可根据客户要求配置模块。
- ◎ 容量:7个模块安装孔位。
- Material: the panel has two kinds of plastic panels and metal panels, metal bottom shell. The bottom box is made of 1.0mm high quality cold rolled steel sheet, with white or gray electrostatic spraying on the surface, phosphating and rust removing.
- Box configuration: optical cable fixer, optical fiber splice tray, 1 bit multi-function interlocking (AC220V). Two sets of three holes), ONU installation tray, meet the telecommunications requirements, truly achieve fiber to the home.
- Module configuration: module can be configured according to customer requirements.
- Capacity: 7 module installation holes.

ØP Nama	外形尺寸 Shape size
名称 Name	宽W×高H×深E(mm)
光纤入户信息箱 Fiber access information box	250 × 300 × 120
	350 × 300 × 120
	400 × 300 × 120
	450 × 300 × 120



等电位端子箱、过线箱、水表箱

Equipotential terminal box, wire box, water meter box



产品说明 Product Description

TD28等电位联结端子箱,可连接水管、暖气管、下水道等各类楼层连通的立 管和建筑物内钢筋,有效预防从不同方向传导过来的电击危险,为现代住宅最基 本的等电位联结做法。从而避免了因各种原因而引入的电位对人体的意外伤害。

TD28 equipotential bonding terminal box can be connected to all kinds of floor connections such as water pipes, heating pipes and sewers. Pipe and reinforcement in buildings can effectively prevent the risk of electric shocks from different directions. This method of equipotential bonding. Thus, the potential damage caused by various potential reasons is avoided.

规格及尺寸 Specifications and dimensions

DIG Total	外形尺寸 Shape size	装箱数
型号 Type	宽W×高H×深E(mm)	Packing number
小型	160 × 75 × 50	100
中型	190 × 100 × 75	40
大型	300 × 220 × 120	10

规格及尺寸 Specifications and dimensions

型号 Type	外形尺寸 Shape size	装箱数
	宽W×高H×深E(mm)	Packing number
	240 × 200 × 100	40
过线箱	300 × 200 × 100	40
Wire box	300 × 250 × 100	20
	400 × 300 × 100	20

EIS Tono	外形尺寸 Shape size	装箱数
型号 Type —	宽W×高H×深E(mm)	Packing number
水表箱	500 × 300 × 150	10
Water meter box	500 × 500 × 150	5



JXF/JFF 基业箱系列

Base industry box series



产品说明 Product Description

JXF/JFF系列照明配电箱,分明装和屋顶两种,产品全部采用 电解钢板折弯焊接而成,表面经过环氧树脂静电喷涂处理,美观耐 用。在箱体"V"型箱上装有密封橡胶条,防止灰尘、雨水渗入; 箱体上下两侧备有活动的敲落孔,并已加盖密封;箱内配有安装底 板,可安装电器设备,门开启大于90度,转动灵活。

XF/JFF series lighting distribution box, clearly installed and roof two kinds of products, all of the products are made of electrolytic steel plate bending welding, the surface after the epoxy resin electrostatic spraying treatment, beautiful and durable. The box "V" box is equipped with a sealed rubber strip to prevent the infiltration of dust and rain; the upper and lower sides of the box are equipped with movable knocking holes and sealed. The inside of the box is equipped with the installation floor, and the electrical equipment can be installed. The opening of the door is more than 90 degrees and the rotation is flexible.

型号 Type	外形尺寸 Shape size	装箱数
∓2 i\ba	宽W×高H×深E(mm)	Packing number
	250 × 300 × 140	10
	250 × 300 × 200	10
	300 × 400 × 140	8
	300 × 400 × 200	6
	400 × 500 × 200	4
	400 × 500 × 250	4
户外型	400 × 600 × 200	4
明装型	500 × 600 × 200	3
600000000	500 × 600 × 250	3
	500 × 700 × 200	3
	600 × 800 × 200	2
	600 × 800 × 250	2
	800 × 1000 × 200	1
	800 × 1000 × 250	1.



动力箱系列

Power box series



产品说明 Product Description

动力配电箱是一种根据元件型号、规格、数量设计组装成各种 控制功能的配电箱,由于箱体的尺寸规格多样根据安装元件的尺寸 大小可任意选择箱体使结构达到完美的组合。

Power box is a model based on components, specifications, quantities designed to be assembled into a variety of control functions distribution box, because the cabinet sizes varied according to the size of the installation select box components can be arbitrarily make the structure to achieve the perfect.

型号 Type	外形尺寸 Shape size	装箱数
∓2 iAbe	宽W×高H×深E(mm)	Packing number
	200x250x140	20
	200x300x150	20
	250x300x150	20
nO.s+mi	300x400x160	10
明装型	400x500x180	8
暗装型	400x600x170	5
防雨型	500x600x180	5
的相望	500x700x180	3
	600x800x180	3
	700x800x200	3
	800x1000x200	2



户外移动工地箱

Outdoor mobile site box



产品说明 Product Description

移动户外工地箱是一种防雨、户外型配电箱,适用于工地的防水作业,方便移动、箱体美观大方,大小尺寸可任意选择,箱体材料由冷轧钢板制作而成。

The mobile outdoor site box is a kind of rain proof and outdoor type distribution box. It is suitable for waterproofing work on the site. It is convenient to move, the box is beautiful and generous, the size and size can be selected freely. The box material is made of cold rolled steel plate.

PIE Tune	外形尺寸 Shape size	装箱数
型号 Type	宽W×高H×深E(mm)	Packing number
	300 × 400 × 160	6
	400 × 500 × 170	4
手提式	500 × 600 × 180	3
	600 × 800 × 180	2
	800 × 1000 × 200	1
	300 × 400 × 160	6
	400 × 500 × 180	4
落地式	500 × 600 × 180	3
	600 × 800 × 180	2
	800 × 1000 × 200	1



PZ40 电表箱系列

Electric meter box series



产品说明 Product Description

PZ40系列电表箱分明装和暗装两种,它适用于宾馆、工矿、企业单位、民用高层建筑的用电计量箱,箱体结构合理,造型美观、拆装方便、安全可靠。面板上设有透视窗,可直接观察用电量;下设有塑料小盒可任意组合电器开关,箱体上下侧均有敲落孔,便于进出线安装。

PZ40 series of electric meter box and dark assembly of two kinds, it is suitable for hotels, industrial and mining, enterprise units, civil high-rise buildings of the electric metering box, the box structure is reasonable, beautiful shape, easy disassembly, safe and reliable. There is a perspective window on the panel, which can directly observe the electricity consumption; there is a small plastic box with any electric switch, and the lower side of the box has a knocking hole to facilitate the installation of the import and export lines.

BIE Tune	外形尺寸 Shape size	装箱数
型号 Type	宽W×高H×深E(mm)	Packing number
PZ40-1-6	400 × 250 × 140	10
PZ40-2-8	400 × 350 × 140	10
PZ40-3-12	400 × 470 × 140	2
PZ40-4-15	400 × 600 × 140	2


^{코팅} Type	外形尺寸 Shape size	装箱数
	宽W×高H×深E(mm)	Packing number
4户	350 × 700 × 150	5
6户双门	470 × 700 × 150	5
8户双门	600 × 700 × 150	5
10户双门	750 × 700 × 150	4
12户双门	900 × 700 × 150	2



PZ30

模数化终端组合电器系列

Modular terminal series combination



产品说明 Product Description

PZ30系列模数化终端组合电器是一种安装模块为9mm终端电 器的装置,它适用于交流50Hz,额定电压220V与380V的各类民用 住宅、调动建筑、宾馆大楼、商场医院、工矿企业的配电作业中对 用电设备进行控制、过载、短路、过电压和漏电起保护作用的一种 成套装置。分明装和暗装两种。

PZ30 series analog digital terminal assembly is a device for installing a 9mm terminal. It is applicable to the AC 50Hz, all kinds of residential buildings with rated voltage 220V and 380V, transfer construction, hotel building, store hospital, and industrial and mining operation, control, overload, short circuit, overvoltage and leakage in the distribution operation of the industrial and mining enterprises. A set of devices for electrical protection. Two kinds of clear and dark clothes.

FIEL Type	外形尺寸 Shape size	装箱数	
쩐号 Type	宽W×高H×深E(mm)	Packing number	
4#	140 × 160 × 80	64	
6#	190 × 200 × 80	48	
8#	230 × 210 × 80	40	
10#	270 × 210 × 80	40	
12#	300 × 210 × 80	40	
15#	360 × 210 × 80	30	
18#	410×210×80	30	
20#	450 × 210 × 80	20	
24#	310 × 390 × 80	16	
30#	360×390×80 16		
36#	410×390×80	10	

DIS Tons	外形尺寸 Shape size	装箱数	
型号 Type	宽W×高H×深E(mm)	Packing number	
4#	140 × 160 × 80	64	
6#	200 × 210 × 90	36	
8#	230 × 230 × 90	30	
10#	280 × 280 × 90	20	
12#	310 × 280 × 90	16	
15#	370 × 280 × 90	16	
18#	420 × 280 × 90	14	
20#	460 × 290 × 90	14	
24#	310×460×90	14	
30#	370×460×90	10	
36#	420 × 460 × 90	10	
45#	370 × 460 × 90	10	



新梅兰照明箱 New meilan lighting box



产品说明 Product Description

新型梅兰照明箱分明装和暗装两种安装方式,具有人性化外形 设计,作为对户内的照明、插座、电器的过载、过电压、漏电短路 保护,适用于各类民用住宅,高层建筑、宾馆大厦、商场医院、工 矿企业等建筑场所。

The new Meilan lighting box is equipped with two kinds of installation and dark installation. It has a humanized shape design. As an indoor lighting, socket, electrical overload, overvoltage, leakage short circuit protection, it is suitable for various civil houses, high-rise buildings, hotel buildings, shopping malls hospitals, industrial and mining enterprises and other building sites.

型号 Type	暗装尺寸 Darker size	明装尺寸 Darker size	装箱数 Packing number	
	宽W×高H×深E(mm)	宽W×高H×深E(mm)		
6#	148 × 185 × 85	178 × 215 × 85		
8#	183 × 185 × 85	213×215×85		
10#	216 × 185 × 85	246 × 215 × 85		
12#	255 × 185 × 85	285 × 215 × 85		
15#	310 × 185 × 85	340 × 215 × 85		
18#	365×210×85	395×240×85		
20#	400 × 210 × 85	430 × 240 × 85		
24#	255 × 310 × 85	285 × 340 × 85	285 × 340 × 85	
30#	310 × 310 × 85	340 × 340 × 85	340 × 340 × 85	
36#	330 × 360 × 85	370 × 370 × 85		
45#	310 × 440 × 85	340 × 470 × 85		



电话、电话箱

Telephone and telephone box



电话分线箱

Telephone division box

产品说明 Product Description

主要用于城镇、农村电话网的主干电缆与分户线间的连接。

It is mainly used for connection between main cable and branch line of town and rural telephone network.

规格及尺寸 Specifications and dimensions

BIE Tons	箱体尺寸 Dimension	装箱数
型号 Type	宽W×高H×深E(mm)	Packing number
10对	140 × 200 × 100	42
20-30对	200 × 280 × 100	21
40-50对	230 × 280 × 110	16
60-100对	270×410×110	10
150-200对	500 × 550 × 120	4
250-300対	500 × 800 × 120	2

CATV电视箱

TV box

产品说明 Product Description

主要用于城镇、农村有线电视网之间的连接,延伸提高有线电视用户的收视效果。

It is mainly used for connection between urban and rural cable TV networks, and extends the effect of cable TV users.

型号 Type	箱体尺寸 Dimension	装箱数
	宽W×高H×深E(mm)	Packing number
CATV-III	140 × 200 × 100	42
CATV-II	200 × 280 × 110	21
CATV-I	230 × 280 × 110	16
CATV前端箱(小)	270 × 410 × 110	10
CATV前端箱(大)	400 × 500 × 160	5